

Specifications

Apt

466392

maharam

Application

Seating

Characteristics

Content: 100% Polyurethane/Silicone

Finish: PFAS-Free Ink-Resistant Protective Topcoat

Backing: Polyester

Width: 54" (137cm)

Bolt Size: 30 yards (27 m)

Weight: 22 oz/ly (700 gr/lm)

Country of Origin: Korea

Price

\$81.50 / C\$121.00 (FOB destination) / C\$116.50 (FOB origin)

Maintenance

W/B-Clean with water-based cleanser or diluted household bleach.



Testing

Abrasion: ASTM D4157, 500,000 double rubs Wyzenbeek

Note: Abrasion test results exceeding ACT Performance Guidelines are not an indicator of product lifespan.

Multiple factors affect fabric durability and appearance retention.

Flammability: AS/NZS 1530.3

AS/NZS 3837 Unadhered

BS 5852 Crib 5*

CAL 117-2013

EN 1021-1*

EN 1021-2*

GB/T 17591*

ISO 5660 Unadhered

NFPA 260

*passes with additional treatment

Lightfastness: AATCC 16.3, 200+ hours



Specifications

Apt

466392

maharam

Environmental

Greenguard Gold Certified

Healthier Hospitals Compliant

LBC Red List Free

REACH Compliant

Produced in an ISO 14001 Facility

DMF Free

FR Free

Free of Intentionally Added PFAS

Warranty

5 years.

© 2017 Maharam

Complete product information at maharam.com

800.645.3943

