

399611 Chrysalis maharam



399611 Chrysalis maharam

Design

Hella Jongerius

Application

Walls

Characteristics

Content: 65% Cellulose, 35% Latex Finish: PFAS-Free Protective Topcoat

Backing: None

Reference Dimension: 10' H x 15' W (305cm x 457cm)

Traffic: Moderate Traffic Customs: Repeatable Country of Origin: USA

Note on Mold: Intended for use in buildings designed and maintained to avoid moisture on or within walls. Application must conform to current Installation Guidelines included in each shipment or available at maharam.com.

Price

Installation is sized, priced and produced on a project-specific basis.

Maintenance

W-Clean with water-based cleanser.

 $\boxtimes \boxtimes \boxtimes \boxtimes \boxtimes$

Testing

Flammability: AS/NZS 3837 Adhered ASTM E84 Adhered CAN ULC S102 Adhered ISO 5660 Adhered

Lightfastness: AATCC 16.3, 40+ hours



Environmental

Greenguard Gold Certified LBC Red List Free Contains Bio-Based Content FR Free

Free of Intentionally Added PFAS

Brief

A continuation of Hella Jongerius' process-based design, Chrysalis began as a series of painted dots that gradually transformed into intricately skinned shapes.

Warranty

3 years. See Terms and Conditions for more information.

© 2013 Hella Jongerius, Maharam under license

Last updated May 1, 2025