







001

Design

Harmen Liemburg

Application

Walls

Characteristics

Content: 65% Cellulose, 35% Latex  
Finish: PFAS-Free Protective Topcoat  
Backing: None  
Reference Dimension: 10' H x 15' W (305cm x 457cm)  
Traffic: Moderate Traffic  
Customs: Repeatable, Scalable  
Country of Origin: USA  
Note: Colors depicted are not an exact representation of the final product. Please request a substrate sample for accurate quality and color reference.  
Note on Mold: Intended for use in buildings designed and maintained to avoid moisture on or within walls.  
Application must conform to current Installation Guidelines included in each shipment or available at maharam.com.

Price

Installation is sized, priced and produced on a project-specific basis.

Maintenance

W-Clean with water-based cleanser.



Testing

Flammability: AS/NZS 3837 Adhered  
ASTM E84 Adhered  
CAN ULC S102 Adhered  
ISO 5660 Adhered

Lightfastness: AATCC 16.3, 40+ hours



Environmental

Greenguard Gold Certified  
LBC Red List Free  
Contains Bio-Based Content  
FR Free  
Free of Intentionally Added PFAS

Brief

Cuckoo was inspired by and named for the naturalist M. A. Koekkoek, Dutch for "cuckoo," and his watercolor illustrations of local ecosystems. Harmen Liemburg introduces chicanery to dry scientific illustration by borrowing elements from comic books in this irreverent take on traditional toile de Jouy.

Warranty

3 years. See Terms and Conditions for more information.

Disclaimer

This artwork contains language or imagery that may not be suitable for all audiences.

© 2010 Harmen Liemburg, Maharam under license

Last updated August 18, 2025