

001

Design

Harmen Liemburg

Application

Walls


Characteristics

Content: 65% Cellulose, 35% Latex
Finish: PFAS-Free Protective Topcoat
Backing: None
Reference Dimension: 10' H x 15' W (305cm x 457cm)
Traffic: Moderate Traffic
Customs: Repeatable, Scalable
Country of Origin: USA
Note on Mold: Intended for use in buildings designed and maintained to avoid moisture on or within walls.
Application must conform to current Installation Guidelines included in each shipment or available at maharam.com.

Price

Installation is sized, priced and produced on a project-specific basis.

Maintenance

W-Clean with water-based cleanser.


Testing

Flammability: AS/NZS 3837 Adhered
ASTM E84 Adhered
CAN ULC S102 Adhered
ISO 5660 Adhered

Lightfastness: AATCC 16.3, 40+ hours


Environmental

Greenguard Gold Certified
LBC Red List Free
Contains Bio-Based Content
FR Free
Free of Intentionally Added PFAS

Brief

Cuckoo was inspired by and named for the naturalist M. A. Koekkoek, Dutch for "cuckoo," and his watercolor illustrations of local ecosystems. Harmen Liemburg introduces chicanery to dry scientific illustration by borrowing elements from comic books in this irreverent take on traditional toile de Jouy.

Warranty

3 years. See Terms and Conditions for more information.

Disclaimer

This artwork contains language or imagery that may not be suitable for all audiences.

© 2010 Harmen Liemburg, Maharam under license

Last updated May 1, 2025