



Design

Scott Campbell

Application

Walls

Characteristics

Content: 65% Cellulose, 35% Latex Finish: PFAS-Free Protective Topcoat

Backing: None

Reference Dimension: 10' H x 16' 8" W (305cm x

508cm)

Traffic: Moderate Traffic Customs: Repeatable Country of Origin: USA

Note: Colors depicted are not an exact representation of the final product. Please request a substrate sample for accurate quality and color

reference.

Note on Mold: Intended for use in buildings designed and maintained to avoid moisture on or within walls. Application must conform to current Installation Guidelines included in each shipment or available at maharam.com.

Price

Installation is sized, priced and produced on a project-specific basis.

Maintenance

W-Clean with water-based cleanser.

 $\boxtimes \boxtimes \boxtimes \boxtimes \boxtimes$

Testing

Flammability: AS/NZS 3837 Adhered ASTM E84 Adhered CAN ULC S102 Adhered ISO 5660 Adhered

Lightfastness: AATCC 16.3, 40+ hours



Environmental

Greenguard Gold Certified LBC Red List Free Contains Bio-Based Content FR Free

Free of Intentionally Added PFAS

Brief

This traditional damask pattern has been rendered in gunpowder and then ignited. In courting the deviations and imperfections of an element as uncontrollable as fire, Family Tradition suggests the adage that while the best laid-plans in life often go awry, it's the surprises that make it beautiful.

Warranty

3 years. See Terms and Conditions for more information.

© 2013 Scott Campbell, Maharam under license

Last updated August 26, 2025