



## Design

James Welling

# **Application**

Walls

### **Characteristics**

Content: 65% Cellulose, 35% Latex Finish: PFAS-Free Protective Topcoat

Backing: None

Reference Dimension: 10' H x 15' W (305cm x 457cm)

Traffic: Moderate Traffic Customs: Scalable Country of Origin: USA

Note: Colors depicted are not an exact

representation of the final product. Please request a substrate sample for accurate quality and color

reference.

Note on Mold: Intended for use in buildings designed and maintained to avoid moisture on or within walls.

Application must conform to current Installation

Guidelines included in each shipment.

### Price

Installation is sized, priced and produced on a project-specific basis.

#### Maintenance

W-Clean with water-based cleanser.

 $\boxtimes \boxtimes \boxtimes \boxtimes \boxtimes$ 

### **Testing**

Flammability: AS/NZS 3837 Adhered ASTM E84 Adhered CAN ULC S102 Adhered ISO 5660 Adhered

Lightfastness: AATCC 16.3, 40+ hours



#### **Environmental**

Greenguard Gold Certified LBC Red List Free Contains Bio-Based Content FR Free Free of Intentionally Added PFAS

#### **Brief**

In his architectural views of Philip Johnson's Glass House, photographer James Welling transforms this iconic subject matter into mutable and transcendent form. Over the course of three years (2006-9), the Glass House served as the laboratory for Welling's photographic experiments in color, transparency, and reflectivity. Approaching the Glass House as a "lens in the Connecticut landscape," Welling manipulates light and the information it carries with it by placing a variety of colored filters over his camera to create unexpectedly saturated images. At once abstract and representational, Glass House May, 2008 alters our perception of a landmark architectural work.

## Warranty

3 years. See Terms and Conditions for more information.

© 2010 James Welling, Maharam under license

Last updated September 2, 2025