



300074 Hellion Equilibrium

maharam



001

Design

Sarah Morris

Application

Walls

Characteristics

Content: 65% Cellulose, 35% Latex
Finish: PFAS-Free Protective Topcoat
Backing: None
Reference Dimension: 10' H x 100' W (305cm x 3048cm)
Traffic: Moderate Traffic
Customs: Repeatable, Scalable
Country of Origin: USA
Note: Colors depicted are not an exact representation of the final product. Please request a substrate sample for accurate quality and color reference.
Note on Mold: Intended for use in buildings designed and maintained to avoid moisture on or within walls.
Application must conform to current Installation Guidelines included in each shipment or available at maharam.com.

Price

Installation is sized, priced and produced on a project-specific basis.

Maintenance

W-Clean with water-based cleanser.



Testing

Flammability: AS/NZS 3837 Adhered
ASTM E84 Adhered
CAN ULC S102 Adhered
ISO 5660 Adhered

Lightfastness: AATCC 16.3, 40+ hours



Environmental

Greenguard Gold Certified
LBC Red List Free
Contains Bio-Based Content
FR Free
Free of Intentionally Added PFAS

Brief

Echoing a permanent site-specific installation that was rendered in glass at a New York subway station, Hellion Equilibrium's evolving spectrum of bold color and jagged geometric forms reference the psychological, economic and physical entanglement created by the global modern world - both human and machine.

Warranty

3 years. See Terms and Conditions for more information.

© 2020 Sarah Morris, Maharam under license

Last updated August 28, 2025