



Design

Liam Gillick

# **Application**

Walls

## **Characteristics**

Content: 65% Cellulose, 35% Latex Finish: PFAS-Free Protective Topcoat

Backing: None

Reference Dimension: 10' H x 16' 8" W (305cm x

508cm)

Traffic: Moderate Traffic

Customs: Repeatable, Scalable

Country of Origin: USA

Note: Colors depicted are not an exact representation of the final product. Please request a substrate sample for accurate quality and color

reference.

Note on Mold: Intended for use in buildings designed and maintained to avoid moisture on or within walls. Application must conform to current Installation Guidelines included in each shipment or available at maharam.com.

### Price

Installation is sized, priced and produced on a project-specific basis.

### Maintenance

W-Clean with water-based cleanser.

## **Testing**

Flammability: AS/NZS 3837 Adhered ASTM E84 Adhered CAN ULC S102 Adhered ISO 5660 Adhered

Lightfastness: AATCC 16.3, 40+ hours



#### **Environmental**

Greenguard Gold Certified LBC Red List Free Contains Bio-Based Content FR Free

Free of Intentionally Added PFAS

### **Brief**

In Liam Gillick's Novce/Ecvon, the palindrome of the title refers to the unity of opposites, the philosophical notion that complete opposites depend upon each other for meaning. Just as one pattern is entirely devoid of color, the other is resplendent with it.

# Warranty

3 years. See Terms and Conditions for more information.

© 2010 Liam Gillick, Maharam under license

Last updated August 2, 2025