


399952 Nuage maharam



Design

Henri Jacobs

Application

Walls

Characteristics

Content: 65% Cellulose, 35% Latex Finish: PFAS-Free Protective Topcoat

Backing: None

Reference Dimension: 10' H x 13' 4" W (305cm x

406cm)

Traffic: Moderate Traffic

Customs: Repeatable, Scalable

Country of Origin: USA

Note: Colors depicted are not an exact

representation of the final product. Please request a substrate sample for accurate quality and color

reference.

Note on Mold: Intended for use in buildings designed and maintained to avoid moisture on or within walls. Application must conform to current Installation Guidelines included in each shipment or available at maharam.com.

Price

Installation is sized, priced and produced on a project-specific basis.

Maintenance

W-Clean with water-based cleanser.

 $\boxtimes \boxtimes \boxtimes \boxtimes \boxtimes$

Testing

Flammability: AS/NZS 3837 Adhered ASTM E84 Adhered CAN ULC S102 Adhered ISO 5660 Adhered

Lightfastness: AATCC 16.3, 40+ hours



Environmental

Greenguard Gold Certified LBC Red List Free

FR Free

Free of Intentionally Added PFAS

Brief

Translated from a watercolor, metallic paint, and pencil study of a cloudy sky, Nuage is based on an early Journal Drawing from a series of weekly drawings dating from 2003. By preserving the intermediary stages of its creation in blank areas that dissipate with the grid's ascending proportions, Nuage explores how a drawing can document the passage of time.

Warranty

3 years. See Terms and Conditions for more information.

© 2016 Henri Jacobs, Maharam under license

Last updated July 4, 2025