



Design

Kevin Appel

Application

Walls

Characteristics

Content: 65% Cellulose, 35% Latex Finish: PFAS-Free Protective Topcoat

Backing: None

Reference Dimension: 10' H x 15' W (305cm x 457cm)

Traffic: Moderate Traffic Customs: Repeatable Country of Origin: USA

Note: Colors depicted are not an exact

representation of the final product. Please request a substrate sample for accurate quality and color

reference.

Note on Mold: Intended for use in buildings designed and maintained to avoid moisture on or within walls. Application must conform to current Installation Guidelines included in each shipment or available at maharam.com.

Price

Installation is sized, priced and produced on a project-specific basis.

Maintenance

W-Clean with water-based cleanser.

Testing

Flammability: AS/NZS 3837 Adhered

ASTM E84 Adhered ASTM E84 Unadhered CAN ULC S102 Adhered ISO 5660 Adhered

Lightfastness: AATCC 16.3, 40+ hours



Environmental

Greenguard Gold Certified LBC Red List Free Contains Bio-Based Content FR Free

Free of Intentionally Added PFAS

Brief

For Screen (Double Desert Inverted), Kevin Appel enlarged a found image until its granular CMYK rosettes were revealed. Flipped and repeated, the image then received layers of "interference" in the form of details extracted from one of Appel's photographs of the Salton Sea and rhythmic white triangles. Seen through this screen of architectonic abstraction, the final composition offers a view of nature that is at once recognizable and disorienting.

Warranty

3 years. See Terms and Conditions for more information.

© 2012 Kevin Appel, Maharam under license

Last updated August 3, 2025