


001

Design
PIN-UP

Application
Walls

Characteristics
Content: 65% Cellulose, 35% Latex
Finish: PFAS-Free Protective Topcoat
Backing: None
Reference Dimension: 10' H x 15' W (305cm x 457cm)
Traffic: Moderate Traffic
Customs: Scalable
Country of Origin: USA
Note on Mold: Intended for use in buildings designed and maintained to avoid moisture on or within walls.
Application must conform to current Installation Guidelines included in each shipment or available at maharam.com.

Price
Installation is sized, priced and produced on a project-specific basis.

Maintenance
W-Clean with water-based cleanser.


Testing
Flammability: AS/NZS 3837 Adhered
ASTM E84 Adhered
CAN ULC S102 Adhered
ISO 5660 Adhered

Lightfastness: AATCC 16.3, 40+ hours


Environmental
Greenguard Gold Certified
LBC Red List Free
Contains Bio-Based Content
FR Free
Free of Intentionally Added PFAS

Brief
Sp-01, or Special Project 01, is a graphic representation of the forward-thinking architectural magazine PIN-UP's first seven issues. Images are blocked out with black, allowing white to fill the remaining space, resulting in a composition of staccato abstraction.

Warranty
3 years. See Terms and Conditions for more information.

© 2010 Dylan Fracareta for PIN-UP, Maharam under license

Last updated August 2, 2025