




399484 Taurus

maharam



001

Design

Sarah Morris

Application

Walls

Characteristics

Content: 65% Cellulose, 35% Latex
Finish: PFAS-Free Protective Topcoat
Backing: None
Reference Dimension: 10' H x 77' 6" W (305cm x 2362cm)
Traffic: Moderate Traffic
Customs: Scalable
Country of Origin: USA
Note on Mold: Intended for use in buildings designed and maintained to avoid moisture on or within walls.
Application must conform to current Installation Guidelines included in each shipment or available at maharam.com.

Price

Installation is sized, priced and produced on a project-specific basis.

Maintenance

W-Clean with water-based cleanser.



Testing

Flammability: AS/NZS 3837 Adhered
ASTM E84 Adhered
BS 476 Adhered*
CAN ULC S102 Adhered
ISO 5660 Adhered
*passes with additional treatment

Lightfastness: AATCC 16.3, 40+ hours



Environmental

Greenguard Gold Certified
LBC Red List Free
Contains Bio-Based Content
FR Free
Free of Intentionally Added PFAS

Brief

Sarah Morris's work often employs vividly colored shapes in a grid-and-tile structure. Taurus, which was originally executed in household gloss, suggests dimensionality while remaining super flat.

Warranty

3 years. See Terms and Conditions for more information.

© 2010 Sarah Morris, Maharam under license

Last updated August 3, 2025