

Specifications  
Titan  
300123

**maharam**

**Application**

Walls

**Characteristics**

Content: 100% Non-Phthalate Vinyl

Finish: None

Backing: Polyester/Cotton Osnaburg

Width: 54" (137cm)

Repeat: Non-match

Bolt Size: 30 yards (27 m)

Class: Type II

Weight: 20 oz/ly (600 gr/lm)

Traffic: High Traffic

Country of Origin: USA

Note: This product uses iridescent inks which produce subtle variations in color when viewed from different angles and under different light sources.

Note on Mold: Intended for use in buildings designed and maintained to avoid moisture on or within walls.

Application must conform to current Installation Guidelines included in each shipment or available at maharam.com.

**Price**

\$33.00 / C\$51.75 (FOB destination) / C\$47.25 (FOB origin)

**Maintenance**

W/B-Clean with water-based cleanser or diluted household bleach.



**Testing**

Flammability: ASTM E84 Adhered

CAN ULC S102 Adhered

EN 13501 Adhered

GB 8624 Adhered\*

\*passes with additional treatment

Lightfastness: AATCC 16.3, 200+ hours



Specifications  
Titan  
300123

**maharam**

**Environmental**

Greenguard Certified  
FR Free  
Free of Intentionally Added PFAS  
Non-Phthalate Vinyl  
Made In USA

**Warranty**

10 years.

© 2024 Maharam

Complete product information at [maharam.com](https://maharam.com)  
800.645.3943

